Elcometer 2350 to 2354 Viscosity Flow Cups BS, DIN, FORD/ASTM, ISO, AFNOR

Can be used in accordance with the following standards: ISO: ISO 2431; AS/NZS*: AS/NZS 1580.214.2 (cup 4); AS/NSZ 1580.214.6:1995; BS: BS 3900-A6:1971*; FORD/ASTM: ASTM D 1200, D 5125; DIN: DIN 53211 (cup 4)*; AFNOR: NF T30-014*



Viscosity Flow Cups are very easy to use instruments made of anodized aluminium with a stainless steel orifice, for measuring the consistency of paints, varnishes and similar products. The measured kinematic viscosity is generally expressed in seconds(s) flow time. If the Standards stipulate conversion methods the flow time can be converted into Centistokes (cSt) using the Elcometer ElcoCalc[™] Mobile App.

Calibration certificates which offer traceability and assurance that each viscosity cup has been individually tested and comply to Standards are also available. The cups can be supplied separately or with an adjustable stand which includes a precision level and an overflow glass draw plate. They can also be supplied with a flow jacket for temperature control (thermojacket).

* Standards not in <u>bold</u> have been superseded but are still recognised in some industries.

Technical Specifications

BS Viscosity Flow Cups

Part Number	Description	Cup No.	Orifice Diameter	Range (cSt) ¹	Cert.
K0002354M003	Elcometer 2354/3 BS Viscosity Flow Cup	4	3.97mm	89-340	\diamond
K0002354M004	Elcometer 2354/4 BS Viscosity Flow Cup	5	4.76mm	79-441	\diamond
K0002354M003C	Elcometer 2354/3 with calibration certificate	4 (d)	3.97mm	89-340	• (d)
K0002354M004C	Elcometer 2354/4 with calibration certificate	5 (d)	4.76mm	79-441	• (d)

DIN Viscosity Flow Cups

Part Number	Description	Cup No.	Orifice Diameter	Range (cSt) ¹	Cert.
K0002350M001	Elcometer 2350/1 DIN Viscosity Flow Cup	2	2mm	-	
K0002350M002	Elcometer 2350/2 DIN Viscosity Flow Cup	4	4mm	96-683	\diamond
K0002350M003	Elcometer 2350/3 DIN Viscosity Flow Cup	6	6mm	-	
K0002350M004	Elcometer 2350/4 DIN Viscosity Flow Cup	8	8mm	-	
K0002350M001C	Elcometer 2350/1 with calibration certificate	2	2mm	-	• (d)
K0002350M002C	Elcometer 2350/2 with calibration certificate	4	4mm	96-683	• (e)
K0002350M003C	Elcometer 2350/3 with calibration certificate	6	6mm	-	• (d)
K0002350M004C	Elcometer 2350/4 with calibration certificate	8	8mm	-	• (e)



BAMR (Pty) Ltd, 4 Palm Street, Newlands, 7700, South Africa Ph: 021 683 2100, WhatsApp: 079 998 6527 sales@bamr.co.za, www.bamr.co.za Page 1 of 4

FORD/ASTM Viscosity Flow Cups

Part Number	Description	Cup No.	Orifice Diameter	Range (cSt) ¹	Cert.
K0002351M001	Elcometer 2351/1 FORD/ASTM Viscosity Flow Cup	1	1.90mm	10-35	\diamond
K0002351M002	Elcometer 2351/2 FORD/ASTM Viscosity Flow Cup	2	2.53mm	25-120	\diamond
K0002351M003	Elcometer 2351/3 FORD/ASTM Viscosity Flow Cup	3	3.40mm	49-220	\diamond
K0002351M004	Elcometer 2351/4 FORD/ASTM Viscosity Flow Cup	4	4.12mm	70-370	\diamond
K0002351M005	Elcometer 2351/5 FORD/ASTM Viscosity Flow Cup	5	5.20mm	200-1200	\diamond
K0002351M001C	Elcometer 2351/1 with calibration certificate	1	1.90mm	10-35	•(e)
K0002351M002C	Elcometer 2351/2 with calibration certificate	2	2.53mm	25-120	•(e)
K0002351M003C	Elcometer 2351/3 with calibration certificate	3	3.40mm	49-220	•(e)
K0002351M004C	Elcometer 2351/4 with calibration certificate	4	4.12mm	70-370	•(e)
K0002351M005C	Elcometer 2351/5 with calibration certificate	5	5.20mm	200-1200	•(e)

ISO Viscosity Flow Cups

Part Number	Description	Cup No.	Orifice Diameter	Range (cSt) ¹	Cert.
K0002353M001	Elcometer 2353/1 ISO Viscosity Flow Cup 3	3mm	7-42	\diamond	
K0002353M002	Elcometer 2353/2 ISO Viscosity Flow Cup 4	4mm	34-135	\diamond	
K0002353M003	Elcometer 2353/3 ISO Viscosity Flow Cup 5	5mm	91-326	\diamond	
K0002353M004	Elcometer 2353/4 ISO Viscosity Flow Cup 6	6mm	188-684	\diamond	
K0002353M005	Elcometer 2353/5 ISO Viscosity Flow Cup 8	8mm	-		
K0002353M001C	Elcometer 2353/1 with calibration certifcate	3mm	7-42	• (e)	
K0002353M002C	Elcometer 2353/2 with calibration certificate	4mm	34-135	• (e)	
K0002353M003C	Elcometer 2353/3 with calibration certificate	5mm	91-326	• (e)	
K0002353M004C	Elcometer 2353/4 with calibration certificate	6mm	188-684	• (e)	
K0002353M005C	Elcometer 2353/5 with calibration certificate	8mm	-	• (d)	

AFNOR Viscosity Flow Cups


Part Number	Description	Cup No.	Orifice Diameter	Range (cSt) ¹	Cert.
K0002352M001	Elcometer 2352/1 AFNOR Viscosity Flow Cup	2.5	2.46mm		
K0002352M002	Elcometer 2352/2 AFNOR Viscosity Flow Cup	4	4mm		
K0002352M003	Elcometer 2352/3 AFNOR Viscosity Flow Cup	6	6mm		
K0002352M001C	Elcometer 2352/1 with Calibration Certificate	2.5	2.46mm	• (d)	
K0002352M002C	Elcometer 2352/2 with Calibration Certificate	4	4mm	• (d)	
K0002352M003C	Elcometer 2352/3 with Calibration Certificate	6	6mm	• (d)	

¹ For information only

(d) Dimensional Certificate (e) Effiux Time Certificate

Calibration Certificate supplied as standard
◊ Batch Calibration Certificate supplied as standard

Viscosity Flow Cups - Cup Designs





Packing List

Elcometer Viscosity Flow Cups Operating Instructions

Accessories

Accessories		
	Part Number KT002400N201	Description Viscosity Cup Stand with Bubble Level and Glass Draw Plate To ensure the viscosity cup is positioned correctly to carry out the test.
	KT002400N001	Viscosity Cup Precision Stand with Bubble Level and Glass Draw Plate To ensure the viscosity cup is positioned correctly to carry out the test.
	KT002400P001	Bubble Level for Viscosity Cup To ensure the viscosity cup is parallel to the surface.
2 - 2	KT002400P999	Viscosity Glass Draw Plate To retain test sample until operator is ready to commence test and provides surface for bubble level.
	KT002400N002	Double-walled Stand with Thermojacket For heating test samples for viscosity measurement at specific elevated temperatures.
	KT002400N201	Elcometer 7300 High Precision Stopwatch
	KT002400N003	Elcometer 2400 Conversion Disc Allowing viscosity (cSt) and flow times of different cups to be calculated. Front: No.4 cups according to AFNOR, BS, NF, ASTM, DIN, Zahn 2 Back: No.3-4-5-6 cups according to ISO and Zahn 3
Thermometers		
	T1164441- G2121A G2132	Spirit Thermometer in °C Elcometer 212 Digital Pocket Thermometer °C with Liquid Probe Elcometer 213/2 Digital Thermometer °C

Video



T9996390-

YouTube Video - How to measure viscosity using Elcometer Flow Cups (Click on the image to the left to view the video)

Elcometer 213/2 Liquid Probe

A flow cup is a cup of a specified size and volume, with an overflow channel at the top, and a hole of a defined size in the bottom. And they are available in a range of designs in accordance with National and International Standards, with various orifice diameters to suit different viscosities.





BAMR (Pty) Ltd, 4 Palm Street, Newlands, 7700, South Africa Ph: 021 683 2100, WhatsApp: 079 998 6527 sales@bamr.co.za, www.bamr.co.za Page 3 of 4

Viscosity Cup Conversion

ElcoCalc[™] Mobile App

Viscosity Cup Type

Save time converting viscosity cup flow time into Centistokes (cSt) by using Elcometer's free app, $ElcoCalc^{TM}$, available from the Android or Apple App stores.

Fast and easy to use, ElcoCalc[™] instantly converts viscosity cup flow time in seconds into Centistokes (cSt).

ElcoCalc[™] works out the viscosity in Centistokes for you – simply choose your cup type, enter the flow time, and ElcoCalc[™] does the rest.



The table below lists the major flow cup types together with a conversion chart of Efflux Time (in seconds) to Viscosity in Centistokes (cSt). It has been constructed from the various International Standard Calculators.

Each cup design is unique, care must be taken when comparing viscosity values between different cup types. These values are the absolute values and do not include the allowed tolerances, as these differ considerably between each of the Standards.

Time	DIN			BS	BS ISO FORD / ASTM						FOR	AST	4	ZAHN						SHELL						
(seconds)	4	2	3	4	5	6	3	4	5	6	1	2	3	4	1	2	3	4	5	1	2	3	4	5	6	
15	38	6.4		19	40	234			35	66			19	40		4	88	148	322			.20	48	91	23	
16	45	6.8	3	24	48	262			39	75			22	44		7	99	163	345			21	52	98	25	
17	51	7.3	5	28	56	290			43	84			24	48		11	111	178	368			23	55	104	26	
18	57	7.7	7	32	64	317	1		47	93			26	52		14	123	192	391	1.1	7.5	24	59	111	28	
19	63	8.1	9	35	72	343			51	101		1	29	56		18	135	207	414	1.4	8.1	26	62	117	30	
20	69	8.6	11	39	79	369			55	110		3	31	60		21	146	222	437	1.6	8.6	27	66	124	310	
21	74	9.0	13	43	86	395			58	118		4	33	64		25	158	237	460	1.8	9.2	29	69	130	333	
22	80	9.4	15	47	93	420	-		62	126		6	36	67		28	170	252	483	2.0	9.8	30	72	137	348	
23	85	9.8	17	50	100	445	1		66	134		7	38	71		32	181	266	506	2.3	10.4	32	76	143	365	
24	91	10.3	18	54	107	470	2		70	142		9	40	75		35	193	281	529	2.5	10.9	33	79	150	381	
25	96	10.7	20	57	114	494	3		73	150		10	43	79		39	205	296	552	2.7	11.5	35	83	156	397	
26	101	11.1	22	60	120	519	4			157		12	45	83		42	216	311	575	2.9	12.1	36	86	163	413	
27	107	11.5	23	64	127	543	4.5	-	80	165		13	47	87	-	46	228	326	598	3.2	12.7	38	90	169	429	
28	112	12.0	25	67 70	133	567	5		84	173		14	49	91	-	49	240	340	621	3.4	13.2	39	93	176	446	
29	117	12.4	26		140	591						16	52	94		53	252	355	644	3.6	13.8	41	97	182	462	
30	122	12.8	28	73	146	614 638	6.6	34.5	91 95	188		19	54	98	2	56	263 275	370	667	3.8	14.4	42	100	189	478	
31	132	13.3	31	80	159	662	7.9	37.5	95	203		20	59	102	2	63	287	400	713	4.1	15.0	44	104	202	510	
33	137	14.1	33	83	165	685	8.6	38.0	102	210		22	61	110	4	67	298	414	736	4.5	16.1	40	110	202	527	
34	142	14.5	34	86	171	709	9.2	41.0	105	218		23	63	114	6	70	310	429	759	4.7	16.7	48	114	215	543	
35	147	15.0	35	89	177	732	9.8	42.0	109	225		24	66	117	7	74	322	444	782	5.0	17.3	50	117	221	559	
36	152	15.4	37	92	184	755	10.4	44.0	112	233		26	68	121	8	77	333	459	805	5.2	17.9	51	121	228	575	
37	157	15.8	38	96	190	778	11.0	45.2	115	240		27	70	125	9	81	345	474	828	5.4	18.4	53	124	234	591	
38	162	16.3	40	99	196	801	11.6	47.0	119	247	1	29	73	129	10	84	357	488	851	5.6	19.0	54	128	241	608	
39	167	16.7	41	102	202	825	12.1	48.0	122	254	2	30	75	133	11	88	369	503	874	5.9	19.6	56	131	247	624	
40	172	17.1	43	105	208	848	12.7	50.0	126	262	2	32	77	137	12	91	380	518	897	6.1	20.2	57	135	254	640	
41	176	17.5	44	108	214	871	13.3	51.2	129	269	3	33	80	141	13	95	392	533	920	6.3	20.7	59	138	260	656	
42	181	18.0	45	111	220	893	13.8	53.0	133	276	4	35	82	144	14	98	404	548	943	6.6	21.3	60	141	267	672	
43	186	18.4	47	114	226	916	14.4	54.0	136	283	4	36	84	148	15	102	415	562	966	6.8	21.9	62	145	273	689	
44	191	18.8	48	117	232	939	14.9	56.0	139	291	5	37	86	152	17	105	427	577	989	7.0	22.5	63	148	280	705	
45	196	19.2	50	120	238	962	15.5	57.0	143	298	5	39	89	156	18	109	439	592	1012	7.2	23.0	65	152	286	721	
46	200	19.7	51	123	244	985	16.0	59.0	146	305	6	40	91	160	19	112	450	607	1035	7.5	23.6	66	155	293	737	
47	205	20.1	52	126	250	1008	16.6	60.0	149	312	6	42	93	164	20	116	462	622	1058	7.7	24.2	68	159	299	753	
48	210	20.5	54	129	255	1030	17.1	62.0	153	319	7	43	96	168	21	119	474	636	1081	7.9	24.8	69	162	306	770	
49	215	21.0	55	132	261	1053	17.6	63.5	156	326	7	45	98	171	22	123	486	651	1104	8.1	25.3	71	166	312	786	
50	219	21.4	56	135	267	1076	18.2	64.5	160	334	8	46	100	175	23	126	497	666	1127	8.4	25.9	72	169	319	802	
51	224	21.8	58	138	273	1099	18.7	66.0	163	341	8	48	103	179	24	130	509	681	1150	8.6	26.5	74	173	325	818	
52	229	22.2	59	141	279	1121	19.2	67.5	166	348	8	49	105	183	25	133	521	696	1173	8.8	27.1	76	176	332	834	
53	234	22.7	60	144	285	1144	19.7	69.0	170	355	9	50	107	187	26	137	532	710	1196	9.0	27.6	77	179	338	851	
54	238	23.1	62	147	291	1166	20.2	70.0	173	362	9	52	110	191	28	140	544	725	1219	9.3	28.2	79	183	345	867	
55	243	23.5	63	150	297	1189	20.7	71.5	176	369	10	53	112	194	29	144	556	740	1242		28.8	80	186	351	883	
56	248	24.0	64	153	302	1212	21.2	73.0	180	376	10	55	114	198	30	147	567	755	1265		29.4	82	190	358	899	
57	253	24.4	66	156	308	1234	21.7	75.0	183	383	11	56	116	202	31	151	579	770	1288	9.9	30.0	83	193	364	915	
58	257	24.8	67	159	314	1257	22.2	76.0	186	390 397	11	58	119	206	32	154	591 603	784		10.2		85	197	371	932	
59 60		25.2		162	320		22.7	77.0		397		60		210	33			814	-			86	200	377	-	
60	267	25.7	70	165	326	1302	23.2	79.0	193	405	12	60	123	214	34	161	614 673	814	1357	10.6	31.7	88	204	384	964	
70	313	27.8	83	1/9	383	1626	28	93.0	210	440	15	75	135	233	40	1/9	731	962		11.8		103	221	416	104	
75	337	32.1	89	208	412	1638	31	100	243	510	20	82	158	202	51	214	790	1036	1702	_		110	255	449	112	
80	360	34.2	96	208	412	1750	33	100	243	545	20	82	108	201	56	214	848	1110	1/02	_		110	273	514	120	
85	383	36.4	102	223	469	1861	35	115	260	580	25	96	181	310	61.6	249	907	1184	1932	16.3		125	290	646	128	
90	406	38.5	102	252	498	1973	38	122	293	615	27	104	193	329	67	266	965	1258	2047	17.4	49.0	133	307	579	145	
100	452	42.8	121	280	554	2195	42	135	326	684	32	118	216	368	78	301	1082	1406	2047	19.7	54.7	148	342	644	161	
110	499	47.0	134	309	611	2418	47		359	754	37	132	239	406	89	336	1199	1554	2507	21.9	60.5	163	376	709	177	
120	545	51.3	146	338	668	2640	51		392	823	42	147	262	445	100	371	1316	1702	2737	24.2	66.2	178	411	774	193	
130	591	55.6	159	366	724	2862	56		425	893	47	161	285	483	111	406	1433	1850	2967	26.4	72.0	193	445	839	209	
140	637	59.9	171	395	781	3084	61		458	962	51	176	308	522	122	441	1550	1998	3197	28.7	77.8	208	480	904	226	
150	682	64.2	184	424	837	3305	65		491	1031	56	190	331	560	133	476	1667	2146	3427	31.0	83.5	223	514	969	242	

All measurements are in Centistokes (cSt). Centipoise (cP) = cSt x product density



BAMR (Pty) Ltd, 4 Palm Street, Newlands, 7700, South Africa Ph: 021 683 2100, WhatsApp: 079 998 6527 sales@bamr.co.za, www.bamr.co.za Page 4 of 4